



## **CR9225-XD24BPL Comair Rotron**

Brand: Comair Rotron

SKU: CR9225-XD24BPL

Category: DC Fans

URL: <https://www.fansco.com/item/cr9225-xd24bpl-comair-rotron/>

Contact: [sales@fansco.com](mailto:sales@fansco.com)

## Product Description

CR9225-XD24BPL Comair Rotron 17002058A 92x92x25mm 24VDC 0.30A 7.20W 5500RPM 87.9CFM 149.5m<sup>3</sup>/h 58dB(A) Ball 0.43inH<sub>2</sub>O 108Pa 2 Wire Leads Axial DC fan

## Technical Specifications

| Attribute                  | Value                    |
|----------------------------|--------------------------|
| Model Number               | CR9225-XD24BPL           |
| Air Flow                   | 87.9 CFM                 |
| Weight                     | 100 g                    |
| Manufacturer               | Comair Rotron            |
| Series                     | CR9225 DC                |
| Dimensions                 | 92x92x25 mm              |
| Voltage Rating             | 24 VDC                   |
| Fan Type                   | DC                       |
| Operating Voltage          | 21.6-26.4VDC             |
| Current Rating             | 0.30 A                   |
| Power Rating               | 7.20 W                   |
| Fan Speed                  | 5500 RPM                 |
| Air Flow (m <sup>3</sup> ) | 149.5 m <sup>3</sup> /h  |
| Bearing Type               | Ball Bearing             |
| Part Number                | 17002058A                |
| Noise Level                | 58 dB(A)                 |
| Static Pressure            | 0.43 in H <sub>2</sub> O |
| Operating Temperature      | -40 ~ 158°F (-40 ~ 70°C) |
| Storage Temperature        | -40°C to 85°C            |
| Approval Agency            | CE<br>UL                 |
| Lifetime @ Temp            | 50000 Hrs @ 40°C         |
| Propeller                  | Plastic, Black, UL 94V-0 |

|                    |                          |
|--------------------|--------------------------|
| Venturi            | Plastic, Black, UL 94V-0 |
| Termination        | 2 Wire Leads             |
| Category           | Axial DC                 |
| Static Pressure Pa | 108 Pa                   |