



MGT4012UB-W28 Protechnic

Brand: Protechnic

SKU: MGT4012UB-W28

Category: DC Fans

URL: <https://www.fansco.com/item/mgt4012ub-w28-protechnic/>

Contact: sales@fansco.com

Product Description

MGT4012UB-W28 Protechnic 12VDC 0.657m³/min 23.2CFM 318.83Pa 1.28inH₂O
13000RPM 0.55A 6.6W 55.3dB(A) 40x40x28mm Ball Bearing 3 Wire Leads DC
Axial Fan

Technical Specifications

Attribute	Value
Model Number	MGT4012UB-W28
Manufacturer	Protechnic Electric
Fan Type	DC
Voltage Rating	12 VDC
Air Flow CMM	0.657 m ³ /min
Air Flow	23.2 CFM
Static Pressure Pa	318.83 Pa
Static Pressure mmAq	32.5 mmAq
Static Pressure	1.28 in H ₂ O
Fan Speed	13000 RPM
Current Rating	0.55 A
Actual Current	0.4 A
Power Rating	6.6 W
Actual Power	4.8 W
Noise Level	55.3 dB(A)
Weight	45 g
Dimensions	40x40x28 mm
Bearing Type	Ball Bearing
Material Blade	Plastic
Material Frame	Plastic
Lifetime @ Temp	40000 Hrs @ 60°C
Operating Temperature	14 ~ 158°F (-10 ~ 70°C)
Storage Temperature	-40°C~70°C(5%~95% RH)

Approval Agency	CE TUV UL
Termination	3 Wire Leads
Category	Axial Fan
Features	Pulse width modulation,automatic restart,locked current protection(PWM)
series	40*40*28mm seriesB