



## **MSD24K3E2X-E3 Comair Rotron**

Brand: Comair Rotron

SKU: MSD24K3E2X-E3

Category: DC Fans

URL: <https://www.fansco.com/item/msd24k3e2x-e3-comair-rotron/>

Contact: [sales@fansco.com](mailto:sales@fansco.com)

## Product Description

MSD24K3E2X-E3 Comair Rotron 17001160A 120x120x38mm 24VDC 0.45A 10.8W 3400RPM 120CFM 204.0m<sup>3</sup>/h 51.8dB(A) Ball 0.35inH<sub>2</sub>O 87Pa 4 Wire Leads Axial DC fan

## Technical Specifications

| Attribute                  | Value                    |
|----------------------------|--------------------------|
| Model Number               | MSD24K3E2X-E3            |
| Air Flow                   | 120 CFM                  |
| Weight                     | 250 g                    |
| Manufacturer               | Comair Rotron            |
| Series                     | Muffin XP DC             |
| Dimensions                 | 120x120x38 mm            |
| Voltage Rating             | 24 VDC                   |
| Fan Type                   | DC                       |
| Operating Voltage          | 16 - 32VDC               |
| Current Rating             | 0.45 A                   |
| Power Rating               | 10.8 W                   |
| Fan Speed                  | 3400 RPM                 |
| Air Flow (m <sup>3</sup> ) | 204.0 m <sup>3</sup> /h  |
| Bearing Type               | Ball Bearing             |
| Part Number                | 17001160A                |
| Noise Level                | 51.8 dB(A)               |
| Static Pressure            | 0.35 in H <sub>2</sub> O |
| Operating Temperature      | -40 ~ 158°F (-40 ~ 70°C) |
| Storage Temperature        | -40°C to 85°C            |
| Approval Agency            | CE<br>cUL<br>UL          |
| Lifetime @ Temp            | 45000 Hrs @ 70°C         |

|                    |                          |
|--------------------|--------------------------|
| Propeller          | Plastic, Black, UL 94V-0 |
| Venturi            | Plastic, Black, UL 94V-0 |
| Termination        | 4 Wire Leads             |
| Category           | Axial DC                 |
| Static Pressure Pa | 87 Pa                    |